51

	Application No.	Applicant(s)
Notice of Allowability	10/657,577	JAFFE ET AL.
	Examiner	Art Unit
	Robert L. Nasser	3736
The MAILING DATE of this communication appeall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate comm IGHTS. This application is	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to phone conversation of 3/28/2005.		
2. The allowed claim(s) is/are 10-26.		
3. The drawings filed on <u>08 September 2003</u> are accepted by the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). <ul> <li>a) All</li> <li>b) Some*</li> <li>c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.</li> <li>THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> </ul> </li> <li>5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.</li> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  <ul> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>(b) including indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul> </li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6.  Interview S Paper No. 08), 7.  Examiner's	Informal Patent Application (PTO-152) Summary (PTO-413),  I/Mail Date  S Amendment/Comment  S Statement of Reasons for Allowance  Robert L. Nasser  Primary Examiner
		Art Unit: 3736

Application/Control Number: 10/657,577

Art Unit: 3736

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Brick Power on March 28, 2005.

The application has been amended as follows:

In the specification:

On page 1, paragraph [001], line 2, the word "pending" has been changed to – now US Patent 6,648,832. –

In the claims:

In claim 10, line 17, after the words carbon dioxide content difference, the following has been added: -- to estimate cardiac output --.

In claim 21, line 8, after the word periods, the following has been added: -- to estimate cardiac output --.

In claim 10, line 9, after the word ventilation, the following has been added: -- to estimate cardiac output --.

These changes were made in that, as previously written, the steps did not add up to the method, as there was no step of estimating cardiac output.

Application/Control Number: 10/657,577

Art Unit: 3736

The following is an examiner's statement of reasons for allowance: Claims 10-26 are allowable in that none of the art divides a difference of carbon dioxide elimination from before and during rebreathing or a change in effective ventilation by a difference in carbon dioxide content from before and during rebreathing or a change in effective ventilation.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert L. Nasser whose telephone number is (571) 272-4731. The examiner can normally be reached on Mon-Fri, variable hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on (571) 272-4726. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3736

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Robert L. Nasser Primary Examiner Art Unit 3736

RLN March 28, 2005

ROBERT L. NASSER PREMARY EXAMINER